

CardioLog Database Tables

Editions – Standard, Professional, Enterprise

Version: 2.0.3.0

By: Omri Cohen

Date: May 1, 2011

©2011 by Intlock Ltd. All rights reserved.

This document and any attachments thereto are confidential, and may contain legally privileged and/or confidential information. Access, copying or re-use of information in it by anyone is unauthorized.

Distribution of this document requires explicit permission from Intlock Ltd.

Brand and product names in this document are trademarks or registered trademarks of their respective holders.

Contents

Introduction.....	3
1. Data Collection.....	4
1.1 Event collection.....	4
1.2 Event Metadata.....	4
2. Visitor Segmentation.....	6
2. 1 Visitor Data.....	6
2.2 Visitor Categorization.....	7
3. Portal Structure.....	8
4. Reports.....	9
4. 1 Dashboards.....	9
4.2 Reports.....	9
5. Management.....	10
5. 1 Data collection.....	10
5. 2 Permissions.....	10
5.3 System Configuration.....	10

Introduction

The following is a list of database tables used in the CardioLog 2011 topology.

Warning: Modifying the database schema or database structures is not supported. Changes that you make to the database contents may be overwritten when you install updates or service packs for CardioLog, or when you upgrade an installation to the next product version.


1. Data Collection

1.1 Event collection

tab_temp_event_log	Raw events data
tab_temp_event_log_quarantine	Quarantined events
tab_event_log	Usage events data
tab_event_log_users	Visitor data
tab_event_log_archive	History events
tab_event_log_users_archive	History visitor data
summary_navigation	Navigation paths (2 steps)
summary_navigation_three_levels	Navigation paths (3 steps)
summary_navigation_ten_levels	Navigation paths (10 steps)
summary_navigation_ten_levels_by_SearchUrl	Navigation paths (10 steps by URL)
summary_referrer	Traffic sources data

1.2 Event Metadata

tab_event_type	Usage event types
tab_entity_type	Portal item types



summary_navigation

mdate
fromLocation
toLocation
views
visits

summary_referrer

mdate
username
sourceDomain
medium
campaign
referringPage
spLocation
views
visits
totalDuration
shortVisits
isNewVisitor

summary_navigation_three_levels

mdate
fromLocation
hopLocation
toLocation
views
visits

summary_navigation_ten_levels

mdate
spLocation1
spLocation2
spLocation3
spLocation4
spLocation5
spLocation6
spLocation7
spLocation8
spLocation9
spLocation10
I1views
I2views
I3views
I4views
I5views
I6views
I7views
I8views
I9views
I10views


summary_navigation_ten_levels_by_SearchUrl


mdate
SearchUrl1
SearchUrl2
SearchUrl3
SearchUrl4
SearchUrl5
SearchUrl6
SearchUrl7
SearchUrl8
SearchUrl9
SearchUrl10
I1views
I2views
I3views
I4views
I5views
I6views
I7views
I8views
I9views
I10views


2. Visitor Segmentation

2. 1 Visitor Data

tab_users	Active Directory users
tab_groups	Active Directory groups
tab_flyweights	Unique combinations for group memberships
tab_flyweight_groups	Group flyweights

tab_users	
	userId
	userAccountName
	userAlias
	userName
	IsDeleted
	flyweightId
	CategoryFlyweightId
	userMail


tab_groups	
	groupName
	groupId
	isDeleted
	groupMail


tab_flyweights	
	flyweightId
	flyweightString


tab_flyweight_groups	
	flyweightId
	groupId


2.2 Visitor Segments

tab_category_categories	Visitor categories
tab_category_values	Category values
tab_category_fwcreation	Used for creating unique combinations of user categories
tab_category_flyweights	Category flyweights

tab_category_categories	
	Category_Id
	Category_Name
	Deleted
	Category_DisplayName


tab_category_values	
	Value_Id
	Category_Id
	Value_Name
	Deleted

tab_category_flyweights	
	Value_Id
	Flyweight_Id

tab_category_fwcreation	
	CategoryFlyweight_Id
	CategoryFlyweight_String

3. Portal Structure

tab_sharepoint_tree	Portal tree structure
tab_sharepoint_tree_load	Temporary table for loading the portal structure
tab_sharepoint_tree_versions	Portal tree versioning data
Tab_shrarepoint_tree_versions_load	Temporary table for loading the portal versioning data

 id
url
entityType
location
name
title
ParentId
Template
Owner
Created
Modified
Version
IsDeleted
DeletionDate
NextChildId
isManual
ReferenceId
SPID
Size
Editor
Extension
AggregatedSize

spid
tp_version
tp_modified
tp_created
tp_author
tp_editor
size
insert_date

4. Reports

4.1 Dashboards

tab_report_history	Previous versions of automatically generated reports
tab_context_based_reports	Previous versions of manually generated reports.
tab_report_scheduler	Report scheduling and distribution lists
tab_controls_cache	Reports cached data
tab_virtual_tree	Reports tree and user " favorites" tree
tab_page	Reports tree items (dashboards)
tab_page_controls	Dashboard controls
tab_page_controls_rules	Dashboard controls rules

4.2 Reports

tab_rule	Reporting query parameters
tab_catalog_dir	UI context menu report directories
tab_catalog_controls	Usage reports
tab_catalog_controls_dirs	UI context menu reports
tab_catalog_controls_rules	Usage reports rules

5. Management

5.1 Data collection

tab_url_groups	Rules for modifying event URL addresses
tab_black_list_criteria	Event collection filter parameters
tab_black_list_rules	Event collection filters
tab_black_list_conditions	Event collection filter parameters
tab_black_list_filters	Event collection filter parameters

5.2 Permissions

tab_roles	System user roles
tab_tree_permissions	Analysis Center permissions
tab_virtual_tree_permissions	Report Center permissions

5.3 System Configuration

tab_global_setting	General system settings
tab_management	Installed components and modules
tab_monitored_sources	Tracking agents diagnostics data
tab_sql_session	SQL session management
